

Product Data Sheet

Husky® 500 Primer

A Solvent-Based Semitransparent Primer for Coils/Cabinetry. **Dries Fast for Exceptional Adhesion**

Primer Characteristics:

- Weight Solids 45.76 %
- Volume Solids 38.17 %
- Shelf Life: 1 + yrs @ 77° F (25° C) unopened
- Viscosity Range: 20 50 K.U. @ 77° F (+/- 2°F)
- VOC lbs. per gallon: 4.06 lbs./gal
- Operating Temperature Range:-30°- 120°F(-34°- 50°C)

Benefits:

- Increases coating adhesion by 300%
- Extends equipment life
- Reduces maintenance costs
- Helps prevent "dirty socks syndrome"
- Fast drying time
- Easy to apply by spray application
- In the event of damage, can be touched up with 500 Primer Aerosol and recoated with the primary coating.

Product Description and Recommended Uses: Bronz-Glow Husky 500 Primer Coil is a unique air dry primer that provides increased coating adhesion of Bronz-Glow Protective coatings in virtually any operating environment.

Husky 500 Primer can effectively be spray applied to the coils of condensing units, refrigeration systems, icemakers and to most any other type of fin/tube or coaxial coil. It can also be applied to aluminum, galvanized, copper and/or steel coils, cabinets and internal components. We recommend coils that are constructed with more than 2 rows of tubing in depth be dip coated.

*Husky 500 Primer is designed as a secondary line of defense in the corrosion protection process. *Husky* 500 Primer is not recommended for use as a protective coating on its own.

In cases of extreme abrasion or corrosion, we recommend applying an additional coat of primer. Best results are achieved by applying Bronz-Glow Coating as soon as the Husky 500 Primer is dry to touch.

Color: Clear Coverage Rate: 612 ft² @ 1 mil DFT

Packaging: 12 oz Aerosol Cans

Conditions of use: The information and data contained herein, is believed to be reliable and based on our knowledge and experience. We cannot anticipate all conditions under which this information and our products or the products of other manufacturers may be used in combination with our products. Bronz-Glow Technologies does not guarantee the results obtained by applicator or end user. Seller hereby disclaims any implied warranty unless otherwise agreed upon in writing. Buyers and users assume all responsibility and liability for loss or damage arising from the handling and use of our products whether used alone or in combination with other products. Ever-changing V.O.C. regulations in your area may require you to contact local authorities for proper use and/or disposal of this product. Should you need further assistance, please contact Bronz-Glow Technologies, Inc.